





Contents

4	Introduction		
		34-35	Aluminium Door Hardware
6-9	Entrance Hardware	34	Schlage Stella® Sliding Door Lock
5	Schlage Pull Handles (Tubular)	35	Schlage Restrictor Stays
7	Schlage Pull Handles (Solid)		
3	Schlage ME Euro Mortice Locks	38-40	General Hardware
9	Schlage Euro Profile Cylinders	38	Schlage Door Stops
9	Schlage ME Euro Profile Cylinders	39	Schlage Architectural Hinges
		40	Schlage Sliding Door Hardware
12-17	Keyless Entrance Hardware	40	Schlage General Hardware
12	Schlage Sense™ Smart Deadbolt		
14	Schlage S-Series Digital Touchpad Door Locks	42	Door Controls
16	Schlage FE & BE Series Digital Door Locks	42	Briton Door Controls
17	Schlage Digital Mechanical Lock		
		44	Handing and General Information
20-30	Levers, Knobs and Deadbolts	45	Reference
20	Schlage Medio Series	45	Finish Glossary
21	Schlage Grande Series		
22	Schlage 7000 Series		
23	Schlage 9000 Series		
24	Schlage Verta™ Series		
26	Schlage Regent Series Entrance Sets		
26	Schlage Regent Series Deadbolts		
27	Schlage Regent Series Knobs & Levers		
28	Schlage F Series Entrance Sets		
29	Schlage F Series Knobs & Levers		
30	Schlage B Series Deadbolts		

About Schlage

We believe that **style lives in the details**, because it's the details that bring everything together in a home.

Our door hardware, deadbolts and electronic locks provide **open possibilities** for homeowners to reflect their style.

Every day, Schlage creates solutions that bring our customer's visions to life. These solutions make homes and lives **smarter**, **safer and more beautiful**.

At the end of the day, we're opening a lot more than just doors.

Entrance hardware


A detail that makes a **statement**.



Schlage Pull Handles (Tubular)



Schlage **Pull Handles (Solid)**



Technical Specifications	Accessories	Warranty
- 304 Decorative grade stainless steel	Locks/Bolts	10 year finish
- 316 Marine grade stainless steel (Verta™ only)	- ME Series Lock Sets	
- Back to back. Sold in pairs.	- Legge 990MF Mortice Deadlock	
Door Type		
- Timber		
- Metal		
- Glass		
Door Thickness		
- 35mm - 50mm		
- Glass 8mm - 12mm		

Schlage **ME Euro Mortice Locks**







ME60 Roller Deadlock

Technical Specifications	Accessories	Compatible Furniture	Warranty
Door Type	- Escutcheons	- Medio Series	10 year mechanical
- Aluminium	Cylinders (ordered separately)	- 7000 Series	
- Timber	- ME C4 5 or 6 Pin Euro	- 9000 Series	
Door Thickness	- Schlage C5 or 6 Pin Euro	- Pull handle range	
- 32 - 42mm	Rebate kits	- Verta™	
(When using standard 65mm cylinder with a 10mm escutcheon)	- MERKSS Rebate kit for ME60	- Grande Series	
Extended cylinders available	- MERKRSS Rebate kit for ME60RL		

Lock Specifications			
Lock	Follower to turn centre	Backset	
ME60 Entrance Lock	85mm	60mm	
ME60 Roller Deadlock		60mm	

Schlage **Euro Profile Cylinders**



Cylinder and Turn

SCP



Double Cylinder

SCP

Technical Specifications	Functions	Compatible Locks	Warranty
- Universal applications	Cylinder and turn	- ME Series Euro Mortice Lock	10 year mechanical
Keyway	Double cylinder		
- Schlage C5 Keyway	Half turn		
Keying Options	Half cylinder		
- KA Keyed Alike			
- KD Keyed to Differ			
- RCK Residential Construction Keyed			

Schlage **ME Euro Profile Cylinders**



Cylinder and Turn

SCP



Double Cylinder

SCP

Technical Specifications	Functions	Compatible Locks	Warranty
- Universal applications	Cylinder and turn	- ME Series Euro Mortice Lock	10 year mechanica
Keyway	Double cylinder		
- C4 Keyway	Half turn		
Keying Options	Half cylinder		
- KA Keyed Alike	Emergency release turn (Privacy)		
- KD Keyed to Differ			


Endless possibilities to **transform any space** with

Schlage's wide variety of styles

and innovative technology.



Schlage **Sense**[™] **Smart Deadbolt**



A smarter way in

Compatible with Apple Homekit™
Technology, allows you to unlock
your door by simply asking Siri on
your iPhone®, iPad® or iPod touch®.
That HomeKit™ compatibility also
puts you in control of the rest of
your home, giving you the power
to set scenes for things like your
lights, doors, and thermostats.
Which means the Schlage Sense™
deadbolt doesn't just make your
home smarter – it makes your
whole life easier.

Features and Benefits

- Works Android phones with iPhone[®], iPad[®] and iPod touch[®] by using Bluetooth[®] Smart technology
- Built-in alarm technology senses potential door attacks
- Illuminated, fingerprint-resistant touchscreen works in the rain and when wearing gloves
- Easy to set up and program using the Schlage Sense[™] app
- The Schlage Sense[™] Smart Deadbolt comes with a limited lifetime finish and mechanical warranty, and a limited three-year electronic warranty



Century in Black









Technical Specifications	Functions	Warranty
- BHMA AAA security, durability and finish rating	Codes	Lifetime mechanical and finish
- Fingerprint resistant	- Up to 30 user codes	3 year electronic
- Works in the rain and with gloves		
- Works with Android phones, iPhone®, iPod®	Communications	Battery
and iPod touch®	- Bluetooth® smart technology	AAx4 included (approximately one year battery life)
- Built-in alarm		
- Illuminated touch screen		
- Easy installation and setup		
Door Type		
- Timber		
- Metal		
Backset		
- 60 - 70mm adjustable		
Door thickness		
- 35mm - 50mm		
- Extension kit available for doors 51mm - 57mm		

Schlage S-Series Digital Touchpad Door Locks



Smart style. Smart investment.

The latest electronic locks in the Schlage product line, the S-6000 and S-6800 are packed full of features that give homeowners unparalleled control over access to their home.

Easy to program, the S-Series stores up to 8 different user PIN codes and 50 cards/fobs (100 fingerprints can also be stored within the S-6800).

Temporary access codes can be created for contractors or guests that may need to enter your home on a short term basis. To operate the S-Series Locks, you can use a fob, stick-on patch or card, which are supplied with the device. There is also a key for manual over-ride in case of an emergency.

Features and Benefits

- Access your home by user PIN, card or fob (and fingerprint with the S-6800 model)
- Illuminated numeric touch pad
- Easy to set up and operate
- Volume and mute controls
- No wiring needed
- Random PIN number function protects your entry code
- Built-in alarm senses potential door attacks
- Door re-locks itself if left unlocked
- Weather resistant (tested to IP54)
- Two year guarantee
- Double locking

14 Finishes; B = Black







Front

S-6000 B

Front

S-6800 B

Back

S-6000 & S-6800

Credentials







Card

Fob

Stick-on Patch

Technical Specifications	Functions	Warranty
- Weather resistant (tested to IP54)	Access	Two year warranty
- Access by user PIN, card, fob or stick-on patch	- Store up to 8 user PINs	
- Auto re-lock	- Store up to 20 credentials (card, fob or stick-on patch)	
- Built-in alarm	- Store up to 100 fingerprints (S-6800 only)	
- Volume and mute controls		
Door Type		
- Timber		
- Metal		
Backset		
- 70mm		
Door thickness		
- 40mm - 90mm		

Schlage **FE & BE Series Digital Door Locks**







BE365 Plymouth

SCP



SCP





FE595 Plymouth/Latitude

SNP

FE595 Plymouth/Elan

SCP

Technical Specifications	Functions	Warranty
- Tested to one million cycles	BE365 Keypad Entry Deadbolt	Lifetime mechanical and finish
- Vandal resistant clutching design	- Keyless access to home	3 year electronic
- 19 code capacity; 10,000 user code combinations	- Turn-lock feature allows user to lock and leave without key	
- Mechanical override	- Ideal for front, back and side entry doors where deadbolts are required	
- Emergency exit feature	FE575 Keypad Entry with Auto-Lock	
- Locks can be re-keyed to match existing locks	- Automatically re-locks five seconds after use	
- 9-Volt alkaline battery included	- Ideal for use on doors leading to basement stairways, storage and	
Door Type	utility rooms	
- Timber	FE595 Keypad Entry with Flex-Lock	
- Metal	- Allows users to choose whether door remains locked (with a code	
Backset	required for entry) or unlocked (no code required for entry) simply by	
- 60mm or 70mm	rotating the inside thumb turn	
Door Thickness	- Ideal for use on garage entry doors, home offices, storage rooms	
- 40mm - 45mm		
Cylinder		
- Schlage C5 Pin		

Schlage **Digital Mechanical Lock**





Schlage Digital Mechanical Lock



Technical Specifications	Warranty
- 14 digit keypad offers 8000 codes of 4 to 7 digits	5 year mechanical and finish
- Suitable for light duty and internal use only	
- Optional hold-open function	
Door Thickness	
- 32mm - 50mm	
Backset	
- 60mm	
Door Type	
- Timber	
- Metal	

Carefully designed styles that **embrace the possibilities** and potential of every door in your home.

Levers, knobs and deadbolts

A **first impression** that lasts.




Schlage **Medio Series**



Technical Specifications	Functions	Accessories	Warranty
Rose Specifications	Latch furniture	Locks/Latches	10 year mechanical and finish
- Ø55mm x D12mm	Passage	- Schlage 60mm Latchbolt	
- Concealed Fixing	Privacy	- ME Mortice Lock (60mm)	
Door Type	Dummy trim	- Legge 990MF Mortice Lock	
- Timber		Cylinders	
- Metal		- ME C4 5 or 6 Pin Euro	
Backset		- Schlage 5 or 6 Pin Euro	
- 60mm (70mm backset available)		- Legge 990 Oval Cylinder	
- Suitable to use latch furniture with mortice locks and escutcheons		Escutcheons	
Door Thickness		- L30S round	
- Furniture 32mm - 50mm		- L30SS square	
- Passage 32mm - 50mm			
- Privacy 32mm - 42mm			

20 **Finishes; SCP** = Satin Chrome Plate

Schlage **Grande Series**



Technical Specifications	Functions	Accessories	Warranty
Rose Specifications	Latch furniture	Locks/Latches	10 year mechanical and finish
- Ø65mm x D12mm	Passage	- Schlage 60mm Latchbolt	
- Concealed fixing	Privacy	- ME Mortice Lock (60mm)	
Door Type	Dummy trim	- Legge 990MF Mortice Lock	
- Timber		Cylinders	
- Metal		- ME C4 5 or 6 Pin Euro	
Backset		- Schlage 5 or 6 Pin Euro	
- 60mm		Escutcheons	
- Suitable to use latch furniture with mortice locks and escutcheons		- L30S round	
Door Thickness		- L30SS square	
- Furniture 32mm - 50mm			
- Passage 32mm - 50mm			
- Privacy 32mm - 42mm			

Schlage **7000 Series**



Technical Specifications	Functions	Accessories	Warranty
Solid stainless steel levers	Latch furniture	Locks/Latches	10 year mechanical and finish
Rose Specifications	Passage	- Schlage 60mm Latchbolt	
- Ø55mm x D12mm	Privacy	- ME Mortice Lock (60mm)	
- Concealed fixing	Dummy trim	- Legge 990MF Mortice Lock	
Door Type		Cylinders	
- Timber		- ME C4 5 or 6 Pin Euro	
- Metal		- Schlage C5 or 6 Pin Euro	
Backset		- Legge 990 Oval Cylinder	
- 60mm (70mm available)		Escutcheons	
- Suitable to use latch furniture with		- 7008 Oval Cylinder	
mortice locks and escutcheons		- 7012 Euro Cylinder	
Door Thickness		- 7007/7013 Turn (non-indicating/indicating)	
- Furniture 35mm - 50mm		- 7009/7014 Emergency Release (non-indicating/indicating)	
- Passage 35mm - 50mm		- 7010/7015 Large Turn (non-indicating/ indicating)	
- Privacy 32mm - 42mm		- 7020 Emergency Turn Set	
		- 7054 Indicating Accessible Turn LH/RH	

Schlage 9000 Series





Albo

SSS



SSS



Katz

SSS













Turn Escutcheon

SSS



SSS

Euro Cylinder Escutcheon

SSS

Oval Cylinder Escutcheon

SSS

on

9000 Series Deadbolt

SNP

Technical Specifications	Functions	Accessories	Warranty
Solid stainless steel levers	Latch furniture	Locks/Latches	10 year mechanical and finish
Rose Specifications	Passage	- Schlage 60mm Latchbolt	
- 57mm x D12mm	Privacy	- ME Mortice Lock (60mm)	
- Concealed fixing	Dummy trim	- Legge 990MF Mortice Lock	
Door Type		Cylinders	
- Timber		- ME C4 5 or 6 Pin Euro	
- Metal		- Schlage C5 or 6 Pin Euro	
Backset		- Legge 990 Oval Cylinder	
- 60mm (70mm available)		Escutcheons	
- Suitable to use latch furniture with		- 9008 Oval Cylinder	
mortice locks and escutcheons		- 9012 Euro Cylinder	
Door Thickness		- 9007/9013 Turn (non-indicating/indicating)	
- Furniture 35mm - 50mm		- 9009/9014 Emergency Release (non-indicating/indicating)	
- Passage 35mm - 50mm		- 9015 Large Turn (non-indicating/indicating)	
- Privacy 32mm - 42mm		- 9020 Emergency Turn Set	
		- 9054 Indicating Accessible Turn LH/RH	

Schlage **Verta**[™] **Series**




Designer style

Verta[™] reinvents the classic with contemporary design. Stemming from modern trends, Verta[™] blends beautiful form with designer functionality.

Verta's™ design features set a new standard for innovative style. Architectural lines create surfaces that reflect light in every direction; tactile surfaces surprise and delight; lineal planes soften to curved edges.

Each element of Verta has been sourced, crafted and finished by experts. Constructed from the highest-quality, marine-grade 316 stainless steel, Verta is manufactured and finished with watch-maker precision. Tested to over 200,000 cycles, Verta is an investment in style for now and the future.



24



Verta[™] Lever

Technical Specifications	Functions	Accessories	Warranty
- 316 Marine grade stainless steel	Latch furniture	Locks/latches	25 year finish
Rose Specifications	Passage	- Schlage 12000 Passage Latch	10 year mechanical
- 57mm x 57mm x D12mm	Privacy turn	- ME Mortice Lock (60mm)	
Door type	Dummy trim	- Schlage 12081 Tubular Bolt (privacy turn only)	
- Timber		- Legge 990MF Mortice Lock	
- Metal		Escutcheons	
Backset		- Oval cylinder	
- 60mm (70mm available)		- Euro cylinder	
- Suitable to use latch furniture with mortice locks		- Turn	
Door thickness		- Emergency	
- 35mm - 50mm			

Verta[™] Entrance Pull Handle

Technical Specifications	Accessories	Warranty
- 316 Marine grade stainless steel	Locks/Bolts	25 year finish
- 800mm length	- ME Series Roller Deadbolt and Cylinder (available as a complete lockset)	10 year mechanical
Door type	- Legge 990MF Mortice Deadlock	
- Timber	Cylinders	
- Metal	- ME C4 Euro	
Door thickness	- Schlage 5 or 6 Pin Euro	
- 35mm - 50mm	- 990 C4 Oval	
Fixing		
- Fixing centres 762mm		
- Back to back or single. Sold in pairs		

Schlage **Regent Series**

Entrance Sets



Monaco Entrance Set with Denver Knob*

SCP

Boston Entrance Set with Denver Knob*

SCP

* Gripset knob interchangeable with any Regent Series dummy trim lever. Purchase separately.

Deadbolts



Regent Boston SCP




Regent Denver CP PB SNP

SSS

Technical Specifications	Functions	Accessories	Warranty
- Can be keyed alike to other Schlage locksets	Double cylinder (key/key)	Furniture	25 year mechanical
Door Type	Single cylinder (key/turn)	- Regent Series	10 year finish
- Timber		- Pull handle range	
- Metal			
Backset			
- 60mm or 70mm, 127mm available			
Door Thickness			
- 35mm - 50mm			

Schlage **Regent Series**

Knobs and Levers



Technical Specifications	Functions	Accessories	Warranty
- Triple option square, radius and drive in latch	Entrance	- 127mm latch	25 year mechanical
Rose Specifications	Passage	- Regent key blanks	10 year finish
- Ø65mm x D26mm	Privacy	- Rebate kit	
- 60mm x 60mm x 26mm (square)	Dummy trim	- Strike plate	
- Concealed fixing			
Door Type			
- Timber			
- Metal			
Backset			
- 60mm or 70mm, 127mm available			
Door Thickness			
- 35mm - 50mm			

Schlage **F Series**

Entrance Sets



Addison Entrance Set with Accent Lever

SNP



Camelot Entrance Set with Georgian Knob

AB



Century Entrance Set with Orbit or Plymouth Knobs, or Flair Lever



Plymouth Entrance Set
with Accent Lever
SNP
or Plymouth Knob
PB SCP

Schlage **F Series**



Technical Specifications	Functions	Accessories	Warranty
Rose Specifications:	Combination set (Plymouth knob with B62N Deadbolt)	- 127mm latch	Lifetime mechanical
- Ø65mm x D12mm	Entrance lock	- Rebate kit	Lifetime finish on SNP and PB
Door Type:	Passage latch		10 year finish on AB and SCP
- Timber	Privacy latch		
- Metal	Dummy trim		
Backset:			
- 60mm or 70mm, 127mm available			
Door Thickness:			
- 35mm - 44mm knob			
- 36mm - 44mm lever			
- 41mm - 51mm entrance set			

Schlage **B Series Deadbolts**



Technical Specifications	Functions	Accessories	Warranty
- Increased bolt size and bolt engagement offers maximum kick-in resistance	Double cylinder (key/key)	- 127mm bolt	Lifetime mechanical
- Anti-pick shield	Single cylinder (key/turn)	- Rebate kit	Lifetime finish on SNP and PB
- SNAP & STAY™ feature for hands-free installation			10 year finish on AB and SCP
- Larger thumb turn for easier grip			
- Contoured edges for added style			
- Can be keyed alike to other Schlage locksets			
Door Type			
- Timber			
- Metal			
Backset			
- 60mm or 70mm, 127mm available			
Door Thickness			
- 35mm - 44mm (extension kit available)			



Schlage leads the way in door hardware style and innovation, **creating new possibilities** every day, for every home.



Schlage Stella® Sliding Door Lock

Standard









Deadlocking B

External locking

B

Locking by snib only

Dummy B

Slimline









Deadlocking B

External locking

B

Locking by snib only

Dummy B

Schlage Stella® Design Features and Benefits

TwinSecure® Adds security through twin activating jaws / provides locking by snib or key / red-flags when the door is unlocked

 $\textbf{SlamStop}^{\texttt{0}} \qquad \qquad \text{Protects locking jaws from accidental damage / offers childproofing / prevents accidental lockout}$

ErgoDesign® Suits left or right hand door applications / improves grip and feel of handle / favoured through rigorous consumer testing

Adds security through adjustable concealed strike with stainless steel receiver plate and multiple fixing

points / suits new and retrofit applications

MultiFunction® Provides non key locking, key locking and dummy

Technical Specifications	Functions	Accessories	Warranty
Door Thickness	Deadlocking	Cylinder	10 year mechanical and finish
- 30mm - 50mm	External locking	- Schlage 6 Pin C flute brass	
	Locking by Snib only	- C4 Pin cylinder available as an option	
	Dummy		

Schlage **Restrictor Stays**



Technical Specifications	Functions	Warranty
Available in detachable or non-detachable models	Restricts window opening to 150mm	10 year mechanical and finish

Bring every room's potential to life with **the perfect**hardware style and finish.



Schlage **Door Stops**



Model	Description	Size	Warranty
434	Door Stop	78mm Projection	10 year finish
438	Door Stop	85mm Projection	
440	Door Stop	85mm Projection	
450	Wall Mounted Square Post Door Stop	110mm Projection	
460	Wall Mounted Round Post Door Stop	110mm Projection	
470	Wall Mounted Square Post Door Stop	85mm Projection	
435HO	Magnetic Hold Open Door Stop	78mm Projection	
12841	Hat and Coat Hook	85mm Projection	
13001	Wall Mounted Door Stop	75mm Projection; 50mm Diameter	
13002	Wall Mounted Door Stop	75mm Projection	
13003	Wall Mounted Square Post Door Stop	83mm Projection	

Latch Back



Model	Description	Size	Warranty
19033	Latch Back Square Door Stop	75mm Projection	10 year finish
19035	Latch Back Round Door Stop	75mm Projection	


Schlage **Door Stops & Architectural Hinges**

Floor Mounted




Model	Description	Size	Warranty
12801	Floor Mounted Door Stop	50mm Diameter	10 year finish
12802	Floor Mounted Door Stop	32mm Diameter	
12805	Floor Mounted Square Door Stop	40mm Square	
12901	Floor Mounted Dome Door Stop	46mm Diameter	
19026	Floor Mounted Round Door Stop	40mm Height	
19030	Floor Mounted Square Door Stop	40mm Height	

Architectural Hinges



Model	Description	Size	Warranty
13222-02	Broad Butt Ball Bearing Hinge	100mm x 75mm	10 year finish
13222-04	Broad Butt Ball Bearing Hinge	100mm x 100mm	
13225	Fast Fix Ball Bearing Hinge	100mm x 68mm	
13227	Rising Butt Hinge	102mm x 76mm	
401	Double Acting Spring Hinge	100mm or 150mm	
229	Self Closing Cabinet Hinge	38mm x 34mm	
409	Flush Overlay Hinge		
603	Steel Butterfly Hinge	36mm x 44mm	

Schlage **Sliding Door Hardware**



SSS

Model	Description	Warranty
	Round passage sliding cavity door set	10 year mechanical and finish
	Round privacy sliding cavity door set	
	Square passage sliding cavity door set	
	Square privacy sliding cavity door set	
46-100	Passage Sliding Door Latch	
46-101	Privacy Sliding Door Latch	
1961	Flush Pull 120mm x 35mm x 12.5mm	
1964	Flush Pull 120mm x 35mm x 12.5mm	
46-201	Cavity Slider Privacy Latch	
46-301	Cavity Slider Privacy Pull	

SCP SNP

SCP SNP

Schlage **General Hardware**

SSS



Model	Description	Warranty
RRB-01	Reverse Barrel Bolt	10 year mechanical and finish
F178	Roller Catch	
DV004	Door Viewer	
	Magnetic Door Catch	



Briton **Door Controls**



200 Series Door Closer

SE

Technical Specifications	Functions	Warranty
- Universal application fits standard, top jamb and parallel arm installations	Regular (REG)	5 year mechanical
- European style trim cover		
- Independent adjustable valves for Backcheck, Closing and Latching speeds		
Door Type		
- Interior, Timber or Metal		
Closer Strength		
- Size 3		











1130 Series Door Closer



a		
	-	CE
	-	J∟


Technical Specifications	Functions	Accessories	Warranty
- Universal application fits standard, top jamb and parallel arm installations	1120	- Hold Open Arm (HO)	10 year mechanical
- Independent adjustable valves for Backcheck, Closing and Latching speeds	Regular (REG)	- Track Arm (T)	
- Non-handed	Hold Open (HO)	- Parallel Arm Bracket (PA)	
Door Type	Track Function	- Adaptor Plate (AP)	
- Interior and Exterior, Timber or Metal	1130	- Parallel Arm Drop Plate (PADP)	
- Supplied with Trim Plate, SSS Cover available	Regular (REG)	- Square Metal Cover	
1120 Closer Strength	Hold Open (HO)		
- 1120B 2-4 Adjustable	Track Function		
- 1120H0 2-4 Adjustable			
- 1120T 1-3 Adjustable			
1130 Closer Strength			
- 1130BDA 1-6 Adjustable			
- 1130BT 1-4 Adjustable			

42 Finishes; SE = Silver




Handing and General Information

Door Handing Guide



Hinge Handing Guide (Model 13227)




Common Terms

Door Preparation - A term used for the cut-outs or holes made to the door for the particular lock being installed.

Backset - The distance from the edge of the door to the centre line of prep in door.

Door Thickness - The measurement from outside front through to outside back of door. All locks have a minimum / maximum door thickness which they will fit.



Building Partnership Programme

Built around the architectural hardware requirements for new homes (essentially the door furniture and locks), the Building Partnership Programme is a mutually beneficial arrangement between you, the hardware merchant and Allegion. It is also a response to the particular desire by building companies for quality, well designed products, robust warranties, simple but effective key control, and time-saving installation.

Services

Scheduling – A comprehensive door schedule specification service is provided. Door hardware schedules are available with no obligation.


Residential Construction Keying - RCK system, involves a single key, replicated to be used by tradesmen for all homes during the construction phase. Building companies will be supplied 25 keys free (additional keys by negotiation), which can be reused on future houses/apartments. Each building company receives a personalised RCK system, so no two building companies have the same keys. When the new homeowner takes over the house, they are presented with their own keys, which when used automatically resets the lock cylinder, making the RCK inoperable and providing the homeowner with their own unique combination.

Master Keying – Master Keying is a method of controlling access through a building. A key schedule is prepared from provided floor plans. Includes a key tracking system which locates keys and locks and keeps a secure procedure on what keying has been undertaken. Security is based on a system where one lock has its own key. This key will not operate any other locks in the system however where all locks are in the same system the locks can be operated by the one master key.

Keyed Alike – KA - More than one lock being operated by the same key.

Keyed To Differ - KD - One lock is opened with a single key

Lever Dimension Guide



Finish Abbreviations

АВ	Antique Brass
ALUM	Aluminium (US-689, SP28, MAL)
ВВ	Bright Brass
BBRZ	Blackened Bronze
В	Black
СР	Chrome Plate (US-625)
FB	Florentine Bronze
РВ	Polished Brass (US-605)
SCP	Satin Chrome Plate (US-626, US26D)
SE	Sprayed Silver
SNP	Satin Nickel Plate (US-619)
SSS	Satin Stainless Steel (US-630, US32D)

Product Application Classification


Residential and Light Commercial - Moderate use. Typical applications include residential homes, apartments and low traffic offices.

Commercial - Moderate to high traffic flow. Typical applications include classrooms, storerooms, entrance / fire door applications.

Heavy Commercial - Excessive high usage / high security subject to abuse. Typical applications include prisons, stairwell doors and air pressure differential.

Finish Glossary

These colours are indicative only, subject to limitations in the printing process.



^{*} Contact Allegion or look online for coating type

About Allegion™

Allegion (NYSE: ALLE) is a global pioneer in the field of safety and security. We keep people and their property safe, wherever they are, bringing together simple solutions and advanced technology. Allegion is a \$2 billion company, with products sold in almost 130 countries.

For more, visit www.allegion.co.nz / www.allegion.com.au





For over 95 years Schlage has provided homeowners with innovative quality security products. Today, Schlage offers home security solutions from a wide selection of mechanical and electronic locks and accessories in touch with modern lifestyles.





Freephone 1800 098 094
Freefax 1800 098 095
Email auinfo@allegion.com

Allegion New Zealand

 Freephone
 0800 477 869

 Freefax
 0800 477 868

 Email
 nzinfo@allegion.com



